

High-density 1U standard wall-mounted chassis in stock



Overview

Efficiently manage fiber cables with the High-Density IANOS Chassis (1U). Supports up to 12 single or 6 double modules, supports 72 ports per 1U, compatible with EDR, features front/rear module fitting and horizontal opening front door. Our AI beta will help you find out quickly. Shop 1U Server Chassis on Newegg. A rack mount 1U chassis is a compact, standardized housing designed to securely hold and protect critical IT infrastructure such as servers, network switches, storage devices, and computing systems. 75 inches) in height, these enclosures are engineered to fit. Get the Gold Series (AS -1115CS-TNR-01-G2) — Ships Within 24 HoursWe offer a wide selection of 1U, 2U, and 4U rackmount cases, as well as tower server chassis from top brands like Rosewill, Supermicro, Chenbro, and iStarUSA. The 1U chassis support multiple configurations include SATA hard drives, rackmount chassis and redundant power supply that fulfill server-grade IPC standard.



Article Content

How to Source 19U Server Cabinets for Edge & AI Infrastructure

Compare acoustic, wall-mount, and liquid-cooling-ready 19U server cabinets; filter suppliers by price (\$50–\$150/unit); identify manufacturers in India and other key regions.

Choose the Perfect Rackmount Server Case: 1U to 4U

Choose 1U server chassis for maximum density and space-constrained environments with lower performance and expansion needs. Opt for

Server Chassis & Rackmount Cases | 1U, 2U, 4U

We offer a wide selection of 1U, 2U, and 4U rackmount cases, as well as tower server chassis from top brands like Rosewill, Supermicro, Chenbro, and

Comino Grando RTX PRO 6000 Review: 768GB of VRAM in a Liquid

Comino Grando with 8x NVIDIA RTX PRO 6000 Blackwell GPUs and 768GB VRAM tested with vLLM inference and Claude Code agentic coding workloads.

Choosing the Right Server Case: 1U, 2U, 3U, and 4U

4U Server Case—This is 7 inches tall, making it the biggest in the comparison. It accommodates high-performance components, effective cooling

IANOS Standard chassis 1U

Efficiently manage fiber cables with the High-Density IANOS Chassis (1U).

FTD-1UFMX-N, High Density 1U 19" Rack Chassis, Holds up to 9/6/3

The high-density FTD chassis supports flexible configurations with full capacity for 9× 4CH, 6× 8CH, or 3× 16CH Mux/Demux modules, and supports the flexibility to install Mux/Demux modules with

1U Chassis

The 1U chassis support multiple configurations include SATA hard drives, rackmount chassis and redundant power supply that fulfill server-grade IPC

1U Server Chassis Mini ITX

A 1U server chassis Mini ITX is a compact server enclosure designed for high-density computing in space-constrained environments. Measuring just 1.75 inches (44.45 mm) in height, this form factor

Ultra High Density 1U Chassis

Ultra High Density 1U Chassis 1U Ultra High Density (UHD) Chassis is the part of the system for high density fiber optics infrastructure management in Data Centres, Telecommunication and Enterprise

1U Rack U Rackmount Measurements | Comms

Exact Dimensions: 1U = 1.75 inches or 4.445 cm. Standardization: All 19-inch rack-mounted devices are sized in multiples of U (1U, 2U, 4U, etc.). Industry

Choosing the Right Rackmount Server Case: 1U, 2U,

Understand how 1U, 2U, 3U, and 4U rackmount server units vary in order to optimize your server requirements to select the most appropriate piece

1U | Rackmount Chassis

This rackmount chassis with great ventilation is especially designed for space-constrained applications. Configure your own 1U Rackmount chassis to your specifications.

Server Rack Size Guide: Choosing the Right Rack for

Find the perfect server rack size for your data center. Understand rack units (1U, 2U, 4U), dimensions like 1.75 inches/44.45 mm, and available

Enclosure Systems | Low-Profile | Legrand

The Q-Series Wall Mounted fiber enclosure system supports standard-density LAN or POL applications in building networks. The all-steel chassis provides reliable

Lenovo ThinkSystem SR650 V4 Server Product Guide

The Lenovo ThinkSystem SR650 V4 is an ideal 2-socket 2U rack server for customers that need industry-leading reliability, management, and security,

1U Rack Mount Chassis / Server Rack / Rackmount Case

Selection of rackmount chassis, server case, 1U, 2U, 3U, 4U, 5U, 6U, 7U, 8U rackmount, rackmount monitor, rackmount lcd, kvm, keyboard drawer, kvm switch, disk array, single board computer,server

12 Best Rackmount Servers (June 2026) Complete Buying Guide

Our team at Ofzen And Computing has compiled this comprehensive guide based on hands-on testing of 12 rackmount servers spanning budget barebone chassis to high-end enterprise

Short Depth Rackmount Chassis Comparison: Half Rack Cases

Short-depth rackmount chassis serve wall-mounted, transport, and shallow-cabinet installs for standardized 2U devices and compact edge equipment. These half-rack cases solve

1 U Rackmount Server Cases for sale

Upgrade your server setup with top rackmount cases like Supermicro SuperChassis and Cisco Rack Mount. Shop robust 1U chassis on eBay!

FTD-1UFMX-N, High Density 1U 19" Rack Chassis, Holds up to 9/6/3

FTD-1UFMX-N is a 19" plug-in chassis that accommodates up to 9x 4CH, 6x 8CH, or 3x 16CH FTD Mux/Demux cassettes. It supports flexible combinations of CWDM, DWDM, LANWDM, O-band

1U Server Chassis | Newegg

Shop 1U Server Chassis on Newegg . Watch for amazing deals and get great pricing.

Top Rack Mount 1U Chassis

Shop high-quality rack mount 1u chassis for secure and efficient storage. Ideal for industrial servers, network equipment, and more. Wholesale prices.

1U Rack Chassis

The 1U (1 rack unit) chassis, measuring just 1.75 inches (44.45 mm) in height, is a compact and efficient server enclosure designed for high-density installations.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.sabineamsee.co.za>

Email: info@sabineamsee.co.za

Phone: +27 82 415 6793

Address: Unit 7, Innovation Park, 34 Electron Road, Kempton Park, 1620, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

